

Section 1 – Product and Company Identification

MANUFACTURED BY: Yeou Lih Building Trades Co., Ltd.

DISTRIBUTED BY: Eurotiles Industrial Corporation

COMPANY ADDRESS: Unit 201 Prestige Tower, F. Ortigas Jr. Ave., Ortigas Center, Pasig City

TEL: (632) 635-2310 to 16

FAX: (632) 635-2317

WEBSITE: www.eurotiles.ph

PRODUCT: Plaster Patch 104

Section 2 – Composition/Information on Ingredients

Pure substance

English Name: Eurotiles Plaster Patch

Synonyms: --

Chemical Abstracts Number (CAS No.): --

Percentage for Chemical Ingredient (%): --

Mixing

Chemical Properties

Hazardous Components Name	Concentration / Percentage
Portland Cement POLYMENT	20-25
Calcium Carbonate	10-15
Cellulose Fibre	0.2-05
Silica sand	60-65

Section 3 – Hazards Identification

Major Hazard Effect

Health effects: Mild respiratory irritation.

Hazard Warnings for Health: Can cause irritation when ingested.

Hazard Warnings for Environment : Air pollution

Physical and Chemical Hazard: No

Special Harm: No

Main symptom: None

Major State: No

Hazard Category: --

Section 4 – First Aid Measure

Emergency and First Aid Procedures

Inhalation:	Transfer patient to fresh air and allow to rest.
Skin Contact:	Wash with water and soap.
Eye contact:	Rinse with plenty of water, then consult oculist.
Ingestion:	Induce vomiting.
Major Disease and Harm Effect:	No
First-Aid Personal Protection:	Wear respirator, rubber gloves.
Prompt to Doctor:	---

Section 5 – Fire Fighting Measures

Suitable Extinguishing Media:	No
Special Exposure Hazards :	Wear respiratory protection equipment.
Special Extinguishing Procedure:	No

Section 6 – Accidental Release Measures

Personal Protection:	Wear respirator, rubber gloves.
Environmental Protection :	Cause air pollution
Methods for Cleaning Up:	Dispose in secure landfill in accordance with local government regulations.

Section 7 – Handling and Storage

Handling:	Ensure efficient exhaust ventilation in the working area.
Storage:	Keep in cool places; avoid direct sunlight.

Section 8 – Exposure Controls / Personal Protection

Engineering Control

Control Factor: Eight hours daily average allowable concentration / short time average allowable concentration / maximum allowable concentration

TWA/STEL/CEILING: ----

Biotic Index: ----

Personal Protection Equipment

Respiratory Protection: Wear air-supplied respirator.

Hand Protection: Gloves

Eye Protection: Goggles

Skin & Body Protection: NO

Hygiene Procedures: Wash hands after work is completed.

Section 9 – Physical and Chemical Properties

Appearance: Stable
Form: Powdery
Colour: Grey
Odour: No
pH: 9-10
Boiling Point: 100°C
Flash Point: °C °F
Test Method: Open cup. Close cup
Spontaneous Temperature: --
Exposure limit: --
Vapour Pressure: --
Vapour Density: ca.0.625
Specific Gravity: 1.0 – 1.1
Solubility in Water: Soluble

Section 10 – Stability and Reactivity

Hazardous Reaction: NO
Conditions to avoid: Produce dust.
Incompatibility: Keep away from food and drink.
Hazardous Decomposition: No

Section 11 – Toxicological Information

Acute Toxicity:	No
Local Effects:	No effect
Sensitivity:	No
Chronic toxicity:	No
Exceptional Effect:	No

Section 12 – Ecological Information

Possibilities of Environmental Impact:	May pollute the water, air and ground.
---	--

Section 13 – Disposal Information

Disposal methods:	Should be disposed at appropriate incineration unit observing local official Regulations
--------------------------	--

Section 14 – Transport Information

International shipping regulations:	--
United Nations Number:	--
Internal transport regulation:	--
Special transport methods and precautions:	Away from food, acid and alkali, and placed in the 5~ 40 °C
Special Transport Way and Note:	Keep away from food, acids and alkalis. Put between 5 °C and 40 °C

Section 15 – Regulation Information

Apply Regulation:	--
--------------------------	----

Section 16 – Other Information

Reference:	--
-------------------	----